


名 称: (K3030)说明书-20190819
图 号: K3030-J40D5RCL10DWF-IB-K01
颜 色: 单黑
尺 寸: A5
技术要求: 105g双铜
备 注:
设 计: 吴丽华
审 核: 黄丽群
标准化: 陈钰婵
审 批: 王斌
营销部: 梁晓欣

注：本页内容不作印刷内容部分！

EOT40DBD



Oven
Lò nướng

manual
Hướng dẫn sử dụng



Electrolux

LÒ NƯỚNG ĐIỆN

TÀI LIỆU HƯỚNG DẪN SỬ DỤNG



Model sản phẩm: EOT40DBD

Vui lòng đọc kỹ hướng dẫn sử dụng trước khi dùng. Giữ để tham khảo thêm.

CHỈ SỬ DỤNG CHO MỤC ĐÍCH DÂN DỤNG

NHỮNG CHỈ DẪN AN TOÀN QUAN TRỌNG:

Khi sử dụng các thiết bị điện, quý khách cần tuân thủ những chú ý an toàn cơ bản, bao gồm những điều sau:

- Đọc toàn bộ hướng dẫn sử dụng trước khi sử dụng thiết bị và giữ để tham khảo sau.
- Không chạm vào các bề mặt nóng của lò.
- Cần có sự giám sát chặt chẽ khi thiết bị được sử dụng bởi trẻ nhỏ hay khi đặt ở gần trẻ nhỏ.
- Để tránh bị điện giật, không để bất kỳ bộ phận nào của lò nướng trong nước hoặc các chất lỏng khác.
- Không để dây treo trên cạnh bàn hoặc mặt bàn, hoặc chạm vào các bề mặt nóng.
- Không vận hành thiết bị khi dây bị hư hỏng hoặc gặp các trục trặc về thiết bị. Nếu thiết bị gặp trục trặc hoặc bị hư hỏng trong bất kỳ trường hợp nào, hãy mang thiết bị đến Trung tâm bảo hành gần nhất để kiểm tra, sửa chữa hoặc thay thế.
- Việc sử dụng phụ kiện đính kèm không được nhà sản xuất thiết bị khuyến cáo có thể gây nguy hiểm hoặc thương tích.
- Rút phích cắm khỏi ổ cắm khi không sử dụng, hoặc trước khi làm sạch. Để nguội khi tháo dỡ hay lắp đặt các bộ phận hay trước khi làm sạch.
- Để ngắt kết nối, chuyển chế độ hẹn giờ về "0".
- Không làm sạch bằng miếng cọ rửa kim loại. Các bộ phận của lò có thể làm vỡ miếng cọ rửa và chạm vào các bộ phận điện, gây ra nguy cơ giật điện.
- Thức phẩm quá lớn hay đồ dùng kim loại không được đưa vào trong một chiếc lò nướng điện vì nó có thể xảy ra hỏa hoạn hoặc điện giật.
- Đặc biệt cẩn trọng trong việc sử dụng thùng chứa không được cấu tạo từ kim loại hoặc thủy tinh.
- Không đặt bất cứ vật liệu gì khác vào trong lò như: thùng carton, nhựa, giấy hoặc bất cứ vật liệu nào khác tương tự.
- Không đặt bất cứ phụ kiện nào ngoài danh sách phụ kiện được kiến nghị của nhà sản xuất, kể cả khi không sử dụng lò.
- Luôn luôn dùng găng tay hoặc tay cầm để di chuyển thức ăn trong lò nướng đang nóng.
- Thiết bị này không nên được vận hành bằng bộ công tắc điều khiển từ xa có hẹn giờ.
- Thiết bị này có một cửa kính cường lực an toàn. Kính cường lực cứng hơn kính thường và ít có nguy cơ bị vỡ hơn. Tuy nhiên, kính cường lực vẫn có thể bị vỡ, nhưng các mảnh vỡ không có tính sát thương. Tránh làm trầy xước bề mặt cửa hoặc làm mẻ các cạnh. Nếu cửa lò có bất kỳ vết xước hay mẻ nào, liên hệ ngay với dịch vụ chăm sóc khách hàng của chúng tôi trước khi sử dụng lò.
- Không sử dụng lò ngoài trời.
- Không sử dụng thiết bị cho mục đích khác.
- Thiết bị này CHỈ SỬ DỤNG CHO MỤC ĐÍCH DẪN DỤNG.
- Thiết bị này không dành cho người sử dụng (kể cả trẻ em) bị giảm khả năng thể chất, giác quan hoặc tinh thần, hoặc thiếu kinh nghiệm và kiến thức, trừ khi họ được người chịu trách nhiệm về sự an toàn của họ giám sát và hướng dẫn sử dụng thiết bị.
- Trẻ em nên được giám sát để chắc chắn rằng chúng không sử dụng thiết bị này để chơi.


NHỮNG CHỈ DẪN AN TOÀN QUAN TRỌNG

- Khối lượng của thực phẩm trên khay đựng thức ăn/ giá nướng không được quá 3,5kg.
- Không đặt thức ăn ở một bên của khay đựng thức ăn hoặc giá nướng. Thức ăn chỉ nên được đặt bằng phẳng trên khay hoặc giá.



THẬN TRỌNG

- Nếu lò được đặt quá sát tường, tường có thể sẽ bị cháy hoặc ố vàng. Hãy chắc chắn rằng rèm cửa không tiếp xúc với lò.
- Không đặt bất cứ thứ gì giữa đáy lò và bề mặt bàn mà lò được đặt lên; những vật như vậy có thể bị cháy.
- Khi khởi động lò nướng, hãy giữ ít nhất một khoảng trống 10cm ở tất cả các mặt của lò để cho phép lưu thông không khí đầy đủ. Nên có ít nhất một khoảng trống 30cm giữa mặt trên của lò và mặt dưới của tủ.




- Bề mặt phía sau của các thiết bị nên được đặt dựa vào tường.
- Không che bất kỳ bộ phận nào của lò nướng bằng miếng kim loại. Điều này có thể gây ra hiện tượng quá nhiệt của lò nướng.
- Không đặt bất cứ thứ gì lên lò trong khi sử dụng. Nhiệt có thể gây biến dạng, nứt,...
- Không đặt bất kỳ vật liệu dễ cháy nào trên lò trong quá trình hoạt động, điều này có thể gây cháy.
- Không đặt dụng cụ nấu ăn hoặc nướng các món ăn trên cửa kính, điều này có thể khiến thiết bị rơi xuống.





THẬN TRỌNG

- Nhiệt độ của cửa lò hoặc bề mặt bên ngoài có thể nóng lên khi lò hoạt động. Nhiệt độ của các bề mặt tiếp xúc có thể nóng lên khi lò hoạt động.
- Các bộ phận kim loại và cửa lò bằng kính sẽ trở nên cực kỳ nóng trong quá trình sử dụng, hãy cẩn thận không chạm vào chúng khi mở và đóng cửa lò.




- Nguồn AC phải được lấy từ ổ cắm có dây phù hợp. Cắm phích cắm hoàn toàn vào ổ cắm, nếu không, nó sẽ trở nên nóng bất thường.
- Không sử dụng ổ cắm đèn điện. Không bao giờ cắm nhiều phích cắm vào cùng một ổ cắm.




- **BỀ MẶT THIẾT BỊ SẼ RẤT NÓNG SAU KHI SỬ DỤNG. LUÔN LUÔN** đeo găng tay bảo vệ hoặc tay cầm khi chạm vào lò đang nóng hoặc các món ăn và thực phẩm nóng, hoặc khi di chuyển giá nướng, chảo hoặc khay nướng.
- Luôn sử dụng tay cầm khay đựng thức ăn khi di chuyển khay.
- Chạm vào những vật này sẽ gây bỏng nặng.



- Khi lò nóng, không cho nước vào cửa kính, điều này có thể dẫn đến làm vỡ kính.



- Khi rút dây, luôn luôn giữ phích cắm. Không bao giờ kéo dây vì làm như vậy có thể làm đứt dây.



THẬN TRỌNG


- Khi sử dụng lò nướng, không đặt thiết bị gần lò hơi hoặc nguồn nhiệt độ cao khác hoặc hướng quạt điện vào lò vì nó có thể khiến lò không thể kiểm soát nhiệt độ chính xác. Không dùng dây nguồn cũng không xử lý thiết bị bằng tay ướt. Luôn rút phích cắm sau khi sử dụng. Bất kỳ trục trặc nào với phích cắm được cắm vào ổ cắm đều có thể gây nguy cơ hỏa hoạn.



- Khi các khay đựng thức ăn văng dầu như gà nướng, nên đặt 2 tấm lá nhôm lên khay để giảm bớt việc văng dầu.



THÀNH PHẦN CẤU TẠO:



1. Vỏ
2. Tay cầm cửa lò
3. Cửa kính
4. Chân lò
5. Bảng điều khiển phía trước
6. Bảng điều khiển
7. Nút điều chỉnh

8. Dĩa quay
9. Tay cầm dĩa quay
10. Khay nướng
11. Tay cầm khay
12. Xiên nướng
13. Giá đỡ kim loại

NHỮNG CHỈ DẪN AN TOÀN QUAN TRỌNG:

Khi sử dụng các thiết bị điện, quý khách cần tuân thủ những chú ý an toàn cơ bản, bao gồm những điều sau:

1. Đọc toàn bộ hướng dẫn sử dụng.
2. Không chạm vào các bề mặt nóng của lò. Sử dụng tay cầm hoặc các núm điều chỉnh.
3. Cần có sự giám sát chặt chẽ khi thiết bị được sử dụng bởi trẻ nhỏ hay khi đặt ở gần trẻ nhỏ.
4. Để tránh bị điện giật, không để bất kỳ bộ phận nào của lò nướng trong nước hoặc các chất lỏng khác.
5. Không để dây treo trên cạnh bàn hoặc mặt bàn, hoặc chạm vào các bề mặt nóng.
6. Không vận hành thiết bị khi dây bị hư hỏng hoặc gập các trục trục về thiết bị, hãy mang đến Trung tâm bảo hành gần nhất để kiểm tra, sửa chữa hoặc thay thế.
7. Việc sử dụng phụ kiện đính kèm không được nhà sản xuất thiết bị khuyến cáo có thể gây nguy hiểm hoặc thương tích.
8. Khi vận hành lò, giữ tối đa ít nhất 10 cm của không gian xung quanh lò, để lò lưu thông khí đầy đủ trong quá trình hoạt động.
9. Rút phích cắm khỏi ổ cắm khi không sử dụng, hoặc trước khi làm sạch. Để nguội khi tháo dỡ hay lắp đặt các bộ phận hay trước khi làm sạch.
10. Để ngắt kết nối, để chế độ điều khiển ở vị trí STOP, sau đó rút phích cắm. Luôn luôn giữ phích cắm rồi mới rút khỏi ổ cắm, không được cầm dây, kéo phích cắm khỏi nguồn điện.
11. Không đặt hay che bất cứ vật gì trên khay nướng bằng vật liệu kim loại, có thể gây ra hiện tượng quá nhiệt.
12. Không làm sạch bằng miếng cọ rửa kim loại. Các bộ phận của lò có thể làm vỡ miếng cọ rửa và chạm vào các bộ phận điện, gây ra nguy cơ giật điện.
13. Thức phẩm quá lớn hay đồ dùng kim loại không được đưa vào trong một chiếc lò nướng điện vì nó có thể xảy ra hỏa hoạn hoặc điện giật.
14. Khả năng đánh lửa có thể xảy ra nếu lò được phủ bằng hoặc chạm vào vật liệu dễ cháy, bao gồm rèm cửa, vải, tường, và những thứ tương tự trong khi hoạt động. Vì vậy không đặt bất kỳ vật liệu dễ cháy nào khi lò đang hoạt động.
15. Đặc biệt cẩn trọng trong việc sử dụng thùng chứa không được cấu tạo từ kim loại hoặc thủy tinh.
16. Không đặt bất cứ vật liệu gì khác vào trong lò như: thùng carton, nhựa, giấy hoặc bất cứ vật liệu nào khác tương tự.
17. Không dùng bất cứ phụ kiện nào không đúng của nhà sản xuất khuyến cáo khi không sử dụng lò.
18. Luôn luôn dùng găng tay hoặc tay cầm để di chuyển thức ăn trong lò nướng.
19. Thiết bị này có một cửa kính cường lực an toàn. Kính cường lực cứng hơn kính thường và ít có nguy cơ bị vỡ hơn. Tuy nhiên, kính cường lực vẫn có thể bị vỡ, nhưng các mảnh vỡ không có tính sát thương. Tránh làm trầy xước bề mặt cửa hoặc làm mờ các cạnh. Nếu cửa lò có bất kỳ vết xước hay mờ nào, liên hệ ngay với dịch vụ chăm sóc khách hàng của chúng tôi trước khi sử dụng lò.
20. Không sử dụng lò ngoài trời.
21. Không sử dụng thiết bị cho mục đích khác.
22. Thiết bị này CHỈ SỬ DỤNG CHO HỘ GIA ĐÌNH.
23. Nhiệt độ của cửa lò hoặc bề mặt bên ngoài có thể nóng lên khi lò hoạt động.
24. Khi sử dụng lò, tránh bị thương bởi các cạnh lò sắc nhọn.
25. Bề mặt tiếp xúc có thể nóng lên khi lò hoạt động.
26. Không đặt dụng cụ nấu ăn hoặc đĩa nướng lên cửa kính.

THẬN TRỌNG: SAU KHI SỬ DỤNG, BỀ MẶT CỦA LÒ SẼ NÓNG. LUÔN LUÔN sử dụng găng tay hoặc tay cầm khi chạm vào lò, thức ăn và đĩa thức ăn, hay khi di chuyển giá đỡ hoặc đĩa đựng.

HÃY LƯU LẠI NHỮNG HƯỚNG DẪN SỬ DỤNG NÀY

THẬN TRỌNG: ĐỂ GIẢM THIỂU NGUY CƠ CHÁY HOẶC ĐIỆN GIẬT, CHỈ VẬN HÀNH THIẾT BỊ KHI KHAY NƯỚNG ĐƯỢC ĐẶT TRONG LÒ

Xin vui lòng đọc và giữ những hướng dẫn sử dụng này. Những hướng dẫn này sẽ giúp quý khách tận dụng được hết các chức năng của Lò nướng điện để đạt được kết quả như mong đợi và các món ăn như được nấu bởi các chuyên gia.

HƯỚNG DẪN SỬ DỤNG LẮP ĐẶT DÂY ĐIỆN ĐẶC BIỆT



Sử dụng dây điện ngắn hơn sẽ giảm thiểu rủi ro do vướng hoặc vấp vào so với việc sử dụng dây điện dài.

Dây điện nối dài vẫn có sẵn và có thể được dùng nếu quý khách cẩn thận khi sử dụng.

1. Công suất chịu tải của dây điện nối dài ít nhất phải bằng công suất chịu tải của thiết bị.
2. Một dây điện nối dài nối với dây nguồn phải được bố trí sao cho nó không bị treo trên mặt bàn hoặc cạnh bàn nơi trẻ em có thể kéo lên hoặc vô tình vấp phải.
3. Dây điện nguồn bị hư hỏng cần phải được thay thế bởi nhà sản xuất hoặc đại lý dịch vụ, hoặc một người có trình độ tương đương để tránh gây nguy hiểm.

CHUẨN BỊ SỬ DỤNG

1. Mở kiện hàng.
2. Kiểm tra danh sách phụ kiện.
3. Chọn một vị trí phù hợp cho thiết bị trên một bề mặt phẳng gần với ổ điện nhưng cách

xa thiết bị tỏa nhiệt hoặc các khu vực nơi mỡ hoặc nước có thể bắn vào.

4. Cắm vào ổ điện thích hợp.

Chúng tôi khuyên quý khách nên vận hành lò ở nhiệt độ TỐI ĐA trong khoảng 15 phút để loại bỏ bất kỳ loại dầu nào còn sót lại sau khi vận chuyển.



Hướng dẫn vận hành

BẢNG ĐIỀU KHIỂN

MÀN HÌNH HIỂN THỊ

Hiển thị thời gian cài đặt hoặc nhiệt độ và chức năng lò nướng.



1. Start

Nhấn phím này để KHỞI ĐỘNG lò nướng.



2. Stop/ Clear

Nhấn phím này một lần để DỪNG lò. Nhấn phím này hai lần để XÓA cài đặt hiện tại của lò. Nhấn và giữ phím này trong 3 giây để kích hoạt/hủy kích hoạt KHÓA TRỄ EM.



3. ”

Nhấn phím này để chọn chức năng Nhiệt độ phía trên + Nhiệt độ phía dưới + Đổi lưu.



4. ”

Nhấn phím này để chọn chức năng Nhiệt độ phía trên + Đổi lưu.



5. ”

Nhấn phím này để chọn chức năng Nhiệt độ phía dưới.



6. ”

Nhấn phím này để chọn chức năng Nhiệt độ phía trên + Nhiệt độ phía dưới.



7. ”

Nhấn phím này để chọn chức năng Nhiệt độ phía trên + Nhiệt độ phía dưới + Đổi lưu + Quay.



8. ”

Nhấn phím này để chọn chức năng Nhiệt độ phía trên + Quay.



9. ”

Nhấn phím này để chuyển đổi giữa cài đặt Hẹn giờ và Nhiệt độ. Phạm vi hẹn giờ là 1 --- 480 phút, phạm vi nhiệt độ là 40 --- 230°C.



10

Nhấn phím này sẽ chuyển đổi đèn tắt hoặc bật.



11.

Nhấn phím này để chọn các thực đơn nấu ăn tự động khác nhau được hiển thị trên màn hình hiển thị.

HƯỚNG DẪN VẬN HÀNH (được chỉ ra trên MÀN HÌNH HIỂN THỊ)



1.



Hiển thị nhiệt độ từ 40°C --- 230°C, khi ở giai đoạn làm nóng trước, "Chỉ dẫn làm nóng trước" sẽ nhấp nháy.



Hiển thị thời gian, từ 0 --- 480 phút.



3.

Đây là một lựa chọn trong thực đơn TỰ ĐỘNG nấu bằng cách sử dụng gia nhiệt trên + dưới 400°C trong 50 phút.



4. Potato

Đây là một lựa chọn trong thực đơn TỰ ĐỘNG nấu bằng cách sử dụng gia nhiệt trên + dưới 200°C trong 50 phút.



5. **Cookie**

Đây là một lựa chọn trong thực đơn TỰ ĐỘNG nấu bằng cách sử dụng gia nhiệt trên + dưới 160°C trong 15 phút.



6. **Pizza**

Đây là một lựa chọn trong thực đơn TỰ ĐỘNG nấu bằng cách sử dụng gia nhiệt trên + dưới 180°C trong 20 phút.



7. **Tarte**

Đây là một lựa chọn trong thực đơn TỰ ĐỘNG nấu bằng cách sử dụng gia nhiệt trên + dưới 190°C trong 20 phút.



8. **Cake**

Đây là lựa chọn trong thực đơn TỰ ĐỘNG nấu bằng cách sử dụng gia nhiệt trên + dưới 160°C trong 25 phút.



9. **Bread**

Đây là một lựa chọn trong thực đơn TỰ ĐỘNG nấu bằng cách sử dụng gia nhiệt trên + dưới 170°C trong 8 phút.



10. **Wing**

Đây là một lựa chọn trong thực đơn TỰ ĐỘNG sử dụng đối lưu nhiệt trên + dưới 210°C trong 20 phút.



11. **Fish**

Đây là một lựa chọn trong thực đơn TỰ ĐỘNG nấu bằng cách sử dụng gia nhiệt trên + dưới + đối lưu ở 210°C trong 30 phút.



12. **Meat**

Đây là một lựa chọn trong thực đơn TỰ ĐỘNG nấu bằng cách sử dụng gia nhiệt trên + dưới + đối lưu ở 210°C trong 30 phút.



13. **Chicken**

Đây là một lựa chọn trong menu TỰ ĐỘNG nấu bằng cách sử dụng gia nhiệt trên + dưới 220°C trong 50 phút.



14.

Nhấn phím này, sau đó lò sẽ kích hoạt chức năng Khóa Trẻ em. Khi phím này được bật, để tắt chức năng Khóa Trẻ em, bấm và giữ phím DỪNG trong 3 giây.

CÁC HƯỚNG DẪN BẢO TRÌ

LUÔN LUÔN THÁO PHÍCH CẮM VÀ LÀM NGUỘI Lò TRƯỚC KHI LÀM SẠCH

Hãy lau bên trong thành lò bằng miếng bọt biển ẩm, miếng cọ rửa bằng vải hoặc nylon và chất tẩy nhẹ nếu muốn. **KHÔNG SỬ DỤNG MIẾNG RỬA CHÉN BẰNG THÉP HOẶC DỤNG CỤ CHÀ HAY CHÀ XÁT THÀNH Lò BẰNG DỤNG CỤ KIM LOẠI, BỒI VÌ HÀNH ĐỘNG NÀY CÓ THỂ GÂY THIẾT HẠI CHO CẤU TẠO BÊN TRONG.** Rửa tất cả các phụ kiện trong nước nóng hoặc trong máy rửa chén. Lau cửa sạch bằng miếng bọt biển ẩm và lau khô bằng giấy hoặc miếng vải. Làm sạch bên ngoài với miếng bọt biển ẩm. **KHÔNG SỬ DỤNG DỤNG CỤ CHÀ VÌ NHƯ VẬY CÓ THỂ GÂY THIẾT HẠI CHO CẤU TẠO BÊN NGOÀI.**

KHÔNG SỬ DỤNG DỤNG CỤ CHÀ HOẶC MIẾNG RỬA CHÉN BẰNG THÉP CHO KHAY DẦU, VÌ NHƯ VẬY SẼ GÂY THIẾT HẠI CHO Lò NƯỚNG.

LÀM KHÔ TẤT CẢ CÁC BỘ PHẬN VÀ BỀ MẶT THẬT KỸ TRƯỚC KHI CẮM PHÍCH Lò VÀO VÀ SỬ DỤNG. Thiết bị này đòi hỏi ít bảo trì. Nó không bao gồm các bộ phận mà người dung có thể tự sửa chữa được. Đừng cố gắng tự sửa chữa nó. Liên hệ với kỹ thuật viên sửa chữa thiết bị có chuyên môn trong trường hợp cần bảo dưỡng sản phẩm.

CÁC HƯỚNG DẪN LÀM SẠCH

1. Luôn rút phích cắm và để nguội hoàn toàn trước khi vệ sinh hoặc di chuyển lò.
2. Làm sạch khay đựng thực phẩm, giá đỡ kim loại, tay cầm của khay đựng thực phẩm và khay nướng sau mỗi lần sử dụng. Khay nướng phải ở vị trí như trước khi sử dụng.
3. Làm sạch bên trong Lò nướng và tất cả các bộ phận có thể tháo rời bằng chất tẩy rửa không mài mòn nhẹ và miếng cọ rửa bằng nhựa sau mỗi lần sử dụng. Rửa sạch và lau khô. Đừng chà quá mạnh vì bề mặt bên trong của lò có thể bị trầy xước.
4. Làm sạch cửa kính lò nướng và bên ngoài lò nướng bằng nước lau kính hoặc chất tẩy nhẹ và miếng vải ẩm hay miếng cọ rửa bằng nhựa. Không sử dụng chất tẩy rửa hoặc miếng chà vì chúng có thể làm trầy lớp sơn.
5. Rửa sạch và lau khô bằng vải sạch. Để khô trước khi đóng cửa kính của lò.

CÁC HƯỚNG DẪN ĐỂ CẤT GIỮ

Rút phích cắm của thiết bị, để nguội và làm sạch trước khi cất giữ. Cất giữ Lò nướng trong hộp của nó ở nơi khô ráo, sạch sẽ. Không bao giờ cất giữ thiết bị trong khi nó vẫn còn nóng hoặc vẫn cắm phích. Không bao giờ quấn dây chặt quanh thiết bị. Không đặt bất kỳ áp lực nào lên dây khi nó đang cắm vào thiết bị, vì điều này có thể khiến dây bị sờn và đứt.

CHI TIẾT KỸ THUẬT:

Model sản phẩm:	EOT40DBD
Điện áp:	220-240V 50/60Hz
Công suất	2100W
Dung tích:	40 lít

RoHS

Compliant

Đáp ứng qui định về giới hạn hàm lượng hóa chất độc hại.
(Phù hợp tiêu chuẩn RoHS)

(Theo Thông tư số 30/2011/TT-BCT, Việt Nam, ngày 10/08/2011)

IMPORTANT SAFETY INSTRUCTIONS

When using electric appliances, basic safety precautions should always be followed, including the following :

- Read all instructions before using the appliance and keep for future reference.
- Do not touch hot surfaces.
- Close supervision is necessary when the appliance is used by or near children.
- To protect against electric shock, do not place any parts of the electric oven in water or other liquid.
- Do not let cord cross over the edge of the table, or touch hot surfaces.
- Do not operate the appliance with damaged cord or plug. After the appliance malfunctions, or has been damaged in any manners, return the appliance to the nearest Authorized Service Center for examination, repair, or adjustment.
- The use of accessories not recommended by the appliance manufacturer may cause hazard or injury.
- Unplug from outlet when not in use, or before cleaning. Let it cool before putting on or taking parts before cleaning.
- To disconnect, turn timer knob to "0"
- Do not clean with metal scouring pads. They will damage the surface and may cause electric shock by touching electric parts.
- Oversized foods or metal utensils must not be inserted in the electric oven as they may create a risk of electric shock.
- Extreme caution should be exercised when using containers constructed out of anything other than metal or glass.
- Do not place any of the following materials in the oven : cardboard, plastic, paper, or anything similar.
- Do not store any materials other than the manufacturer's recommended accessories, in this oven when not in use.
- Always wear protective, insulated oven gloves when inserting or removing items from the hot oven.
- This appliance should not work through outside timer or remote control.
- This appliance has a tempered, safety glass door. The glass is stronger than ordinary glass and more resistant to breakage. Tempered glass can break, but the pieces will not have sharp edges. Avoid scratching door surface or nicking edges. If the door has a scratch or nick, contact our customer care hotline before using the oven.
- Do not use outdoors.
- Do not use the appliance for other than intended use.
- This appliance is for HOUSEHOLD USE ONLY.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.


IMPORTANT SAFETY INSTRUCTIONS

- The weight of the food which on the Food Tray/Grill Rack should not be over 3.5kg.
- Do not put food on one side of the food tray or grill rack. Food to be placed evenly on the tray or rack.



CAUTION

- If the oven is positioned too close to the wall, the wall will be burned or stained. Be sure the curtain is not in contact with the oven body.
- Do not put anything between the bottom of the body and the counter surface on which it is set; such object could be burnt.
- When operating the oven, keep at least 10cm of space on all sides of the oven to allow adequate air circulation. It's recommended to have at least 30cm space between the top of oven and bottom of cabinet.




- The rear surface of appliances should be placed against the wall.
- Do not cover any parts of the oven with metal foil. This may cause overheating of the oven.
- Do not put anything on the oven while using it. The heat could cause deformation, crack, etc.
- Do not store any flammable material on the oven during operation, it can cause fire.
- Do not rest cooking utensils or baking dishes on the glass door, it could cause unit to fall down.






CAUTION

- The temperature of the door or the outer surface may be higher when the appliance is operating. Temperature of accessible surfaces may be high when the appliance is operating.
- The metal parts and glass window of the door become extremely hot during use ; be careful not to touch them when opening and closing the door.



- AC power must be taken from a properly-wired outlet. Insert the plug completely into the socket ; if it is not, it will become abnormally hot.
- Do not use an electric light outlet. Never connect multiple plugs to the same outlet.




APPLIANCE SURFACES ARE HOT AFTER USE. ALWAYS wear protective, insulated oven gloves when touching hot oven or hot dishes and food, or when inserting or removing rack, pans or baking dishes.

Always use the Food Tray holder when inserting or removing the tray

Touching these will cause severe burns.



When the oven is hot, do not apply water to the glass window, It may cause the glass to break.



When unplugging the cord, always take hold of the plug itself. Never pull on the cord : doing so could break the wires inside the cord.



CAUTION


- When using the oven, do not place the unit close to the gas burner or other source of high temperature or direct the electric fan at the oven as it could prevent the oven to get the correct temperature control.
- Do not the power cord nor handle the unit with wet hands. Always unplug the cord after use. Any malfunctioned unit with plug inserted into the outlet could cause fire hazard.



- When cooking oil-splashing dishes such as roast chicken, it is recommended to put 2 sheets of aluminum foils on a tray in order to diminish oil splashing.



COMPONENTS:



- 1、Housing
- 2、Door handle
- 3、Door glass
- 4、Oven feet
- 5、Front panel
- 6、Control panel
- 7、Switch knob

- 8、Wire rack
- 9、Tray handle
- 10、Bake tray
- 11、Rotisserie handle
- 12、Rotisserie fork
- 13、Crumb tray

IMPORTANT SAFEGUARDS

When using an electrical appliances, basic safety precautions should always be followed, including the following:

1. Read all instructions.
2. Do not touch hot surfaces. Use handle or knobs.
3. Close supervision is necessary when any appliance is used by or near children.
4. To protect against electric shock, do not place any part of the electric oven in water or other liquid.
5. Do not let cord hang over edge of table or counter, or touch hot surfaces.
6. Do not operate appliance with damaged cord or plug or after the appliance malfunctions, or has been damaged in any manner, return appliance to the nearest Authorized Service Center for examination, repair, or adjustment.
7. The use of accessory attachments not recommended by the appliance manufacturer may cause hazard or injury.
8. When operating the oven, keep at least four inches of space on all sides of the oven to allow for adequate air circulation.
9. Unplug from outlet when not in use, or before cleaning. Let it to cool before putting on or taking STOP parts, or before cleaning.
10. To disconnect, turn the control to STOP, then unplug the plug. Always hold the plug, but never pull the cord.
11. Do not cover CRUMB TRAY or any part of the oven with metal foil. This may cause overheating of the oven.
12. Do not clean with metal scouring pads. Pieces can break off the pad and touch electrical parts, creating a risk of electric shock.
13. Oversized foods or metal utensils must not be inserted in a electric oven as they may create a fire or risk of electric shock.
14. A fire may occur if the oven is covered or touching flammable material, including curtains, draperies, walls, and the like, when in operation. Do not store any item on the oven during operation.
15. Extreme caution should be exercised when using containers constructed if anything other than metal or glass.
16. Do not place any of the following materials in the oven: cardboard, plastic, paper, or anything similar.
17. Do not store any materials, other than manufacturer's recommended accessories, in this oven when not in use.
18. Always wear protective, insulated oven mitts when inserting or removing items from the hot oven.
19. This appliance has a tempered, safety glass door. The glass is stronger than ordinary glass and more resistant to breakage. Tempered glass can break, but the pieces will not have sharp edges. Avoid scratching door surface or nicking edges. If the door has a scratch or nick, contact our consumer relations line before using the oven.
20. Do not use outdoors.
21. Do not use appliance for other than intended use.
22. This appliance is for HOUSEHOLD USE ONLY.
23. The temperature of the door or the outer surface may be higher when the appliance is working.
24. Protect against hurt by sharp edge when action.
25. Temperature of accessible surfaces may be high when the appliance is operating.
26. Do not rest cooking utensils or baking dishes on glass door.


CAUTION:APPLIANCE SURFACES ARE HOT AFTER USE.ALWAYS wear protective, insulated oven gloves when touching hot oven or hot dishes and food, or when inserting or removing rack, pans or baking dishes.

SAVE THESE INSTRUCTIONS

Caution: TO REDUCE THE RISK OF FIRE OR SHOCK, DO NOT OPERATE UNIT UNLESS THE REMOVABLE TOP TRAY IS IN PLACE.

Please read and keep these instruction handy. These instruction will help you to use your Electric Oven to its fullest so that you will achieve consistent, professional results.

SPECIAL CORD SET INSTRUCTIONS



A short power supply cord is provided to reduce the risks resulting from becoming entangled in or tripping over a longer cord.

Longer extension cords are available and may be used if care is exercised in their use.

1. The electric rating of the extension cord should be at least as great as the electrical rating of the appliance.
2. An extension cord with the power cord must be arranged so that it will not drape over the countertop or table top where they can be pulled on by children or tripped over accidentally.
3. If the supply cord is damaged, it must be replaced by the manufacturer or its service agent, or a similarly qualified person in order to avoid a hazard.

PREPARING FOR USE

1. Unpack the unit.
2. Check the contents against the accessories list.
3. Select a suitable position for the unit on a flat surface close to a power socket but away from a heat producing appliance or areas where cooking grease or water may splatter onto it.
4. Plug into a suitable power outlet.

We recommend that you run it at MAX temperature for approximately 15 minutes to eliminate any packing oil that may remain after shipping.

Operating Instructions

CONTROL PANEL

DISPLAY WINDOW

Shows set time or temperature and oven function.



1. Start

Press this button to START the oven.



2. Stop/
Clear

Press this button once to STOP the oven. Press button twice to CLEAR oven current settings. Press button and hold for 3 seconds to activate/deactivate CHILD LOCK.



3. Press this button to select Top Heat + Bottom Heat + Convection function.



4. Press this button to select Top + Convection function.



5. Press this button to select Bottom Heat function.



6. Press this button to select Top Heat + Bottom Heat function.



7. Press this button to select Top Heat + Bottom Heat + Convection + Rotisserie function.



8. Press this button to select Top Heat + Rotisserie function.



Press button to toggle between Timer and Temperature setting. Timer range is 1---480minutes, temperature range is 40---230°C.




Press this button will toggle on/off light.



Press button to select various auto cooking menus shown on the display window.

OPERATION INSTRUCTIONS (show on DISPLAY WINDOW)



Temperature display, from 40°C---230°C, when in preheat phase, the "Preheat indicator" will blinking.



Timer display, from 0---480 minutes



3. Warm

This is a selection under AUTO cook menu using upper + lower heating at 40°C for 50 minutes.



4. Potato

This is a selection under AUTO cook menu using upper + lower heating at 200°C for 50 minutes.



5. Cookie

This is a selection under AUTO cook menu using upper + lower heating at 160°C for 15 minutes.



6. Pizza

This is a selection under AUTO cook menu using upper + lower heating at 180°C for 20 minutes.



7. Tarte

This is a selection under AUTO cook menu using upper + lower heating at 190°C for 20 minutes.



8. Cake

This is a selection under AUTO cook menu using upper + lower heating at 160°C for 25 minutes.



9. Bread

This is a selection under AUTO cook menu using upper + lower heating at 170°C for 8 minutes.



10. Wing

This is a selection under AUTO cook menu using upper + lower heating convection at 210°C for 20 minutes.



11. Fish

This is a selection under AUTO cook menu using upper + lower heating + convection at 210°C for 30 minutes.



12. Meat

This is a selection under AUTO cook menu using upper + lower heating + convection at 210°C for 30 minutes.



13. Chicken

This is a selection under AUTO cook menu using upper + lower heating at 220°C for 50 minutes.



14.

Press this button, then oven start work activate Child Lock. When Child Lock is on, to deactivate Child Lock, press and hold STOP for 3s.

MAINTENANCE INSTRUCTIONS

ALWAYS UNPLUG OVEN AND ALLOW TO COOL BEFORE CLEANING

If desired, wipe walls with damp sponge, cloth or nylon scouring pad, and mild detergent. **DO NOT USE STEEL WOOL SCOURING PADS OR ABRASIVE CLEANERS OR SCRAPE WALLS WITH METAL UTENSILS, AS THIS MAY DAMAGE THE INTERIOR.**

Wash all accessories in hot sudsy water or in a dishwasher. Wipe the door clean with a damp sponge and wipe dry with a paper or cloth towel. Clean exterior with damp sponge. **DO NOT USE AN ABRASIVE CLEANER. AS IT MAY DAMAGE THE EXTERIOR FINISH.**

DO NOT USE AN ABRASIVE CLEANER OR STEEL WOOL SCOURING PAD ON DRIP PAN, AS IT MAY DAMAGE THE FINISH.

DRY ALL PARTS AND SURFACES THOROUGHLY PRIOR TO PLUGGING OVEN IN AND USING.

This appliance requires little maintenance. It contains no user serviceable parts. Do not try to repair it yourself. Contact a qualified appliance repair technician if the product requires servicing.

CLEANING INSTRUCTIONS

1. Always unplug and allow to cool completely before cleaning or moving.
2. Clean the Food Pan, Wire Rack, Food Pan handle and Crumb Tray after each use. The Crumb must be in position before using.
3. Clean the interior of Electric Oven and all removable parts with a mild non-abrasive cleaner and a plastic scouring pad after each use. Rinse and dry thoroughly. Do not rub too hard as the interior surface of the oven can be scratched.
4. Clean the Glass Oven Door and Electric Oven exterior with glass cleaner or mild detergent and a damp cloth or plastic scouring pad. Do not use an abrasive cleaner or pad as they might scratch the finish.
5. Rinse and dry thoroughly with a clean cloth. Allow to dry before closing Glass Door.

TO STORE

Unplug unit, allow to cool, and clean before storing. Store Electric Oven in its box in a clean, dry place. Never store appliance while it is hot or still plugged in. Never wrap cord tightly around the appliance. Do not put any stress on the cord where it enters the unit, as it could cause the cord to fray and break.

SPECIFICATION:

Model No.:	EOT40DBD
Power Consumption:	220-240V 50/60Hz
Output:	2100W
Electric Oven Capacity:	40Litres

CONSUMER CARE CENTER

Indonesia Hotline service: 08041119999 PT. Electrolux Indonesia Electrolux Building Jl.Abdul Muis No.34, Petojo Selatan, Gambir Jakarta Pusat 10160 Email:customer care@electrolux.co.id SMS & WA : 0812.8088.8863	Philippines Consumer Care Center Toll Free : 1-800-10-845-CARE(2273) Consumer Care Hotline : (+63 2) 845-CARE(2273) Electrolux Philippines, Inc. Unit B 12F Cyber Sigma Bldg, Lawton Avenue, McKinley West, Taguig, Philippines 1634 Trunkline: +63 2 737- 4757 Website : www.electrolux.com.ph Email : wecare@electrolux.com
Malaysia Consumer Care Center Tel: 1300-88-11-22 Electrolux Home Appliances Sdn. Bhd. Corporate Office Address: Unit T2-7, 7th Floor, Tower 2, PJ33, No. 3, Jalan Semangat, Seksyen 13, 46200 Petaling Jaya, Selangor. Office Tel : (+60 3) 7843 5999 Office Fax : (+60 3) 7955 5511 Consumer Care Center Address: Lot C6, No. 28, Jalan 15/22, Taman Perindustrian Tiong Nam, 40200 Shah Alam, Selangor Consumer Care Center Fax : (+60 3) 5524 2521 Email : malaysia.customer care@electrolux.com	Singapore Consumer Care Center Tel: (+65) 6727 3699 Electrolux S.E.A. Pte Ltd. 1 Fusionopolis Place, #07-10 Galaxis, West Lobby Singapore 138522. Office Fax : (+65) 6727 3611 Email : customer-care.sin@electrolux.com
Thailand Consumer Care Tel : (+66 2) 725 9000 Electrolux Thailand Co., Ltd. Electrolux Building 14th Floor 1910 New Phetchaburi Road, Bangkapi, Huai Khwang, Bangkok 10310 Office Tel : (+66 2) 7259100 Office Fax : (+66 2) 7259299 Email : customer carethai@electrolux.com	Vietnam Consumer Care Center Toll Free: 1800-58-88-99 Tel: (+84 28) 3910 5465 Electrolux Vietnam Ltd. Floor 9th, A&B Tower 76 Le Lai Street - Ben Thanh Ward - District 1 Ho Chi Minh City , Vietnam Office Tel: (+84 28) 3910 5465 Office Fax: (+84 28) 3910 5470 Email: vn care@electrolux.com
Hongkong Service Hotline: (+852) 3193 9888 DCH Electrical Appliances Services Centre 5/F, DCH Building, 20 Kai Cheung Road, Kowloon Bay, Hong Kong	

RoHS

Compliant

**Conformed to the stipulation on permissible content limitation
of some hazardous & restricted chemical substances.**

(RoHS compliant)

(According to the Circular No. 30/2011/TT.BCT, Vietnam, dated 10th August, 2011)

